



PÓSTERS

A comprehensive analysis of autophagy related signatures in cancer (Id30)

Guerra-Andrés, M.^{1,2}; García López, I.¹ & F. Fernández, Á.^{1,2,3}

1 Department of Biochemistry and Molecular Biology University of Oviedo, Oviedo, Asturias.

2 University Institute of Oncology of Asturias (IUOPA), Oviedo, Asturias.

3 Sanitary Research Institute of Asturias (ISPA), Oviedo, Asturias.

AMBRA1 regulates the generation and progression of squamous cell carcinomas (Id45)

Gabicagogeascoa E^{1,2}, Lorente M^{1,2}, Stefanos N^{3,4}, Salvador N^{1,2}, Saiz-Ladera C^{1,2}, Hill D4, Salazar-Roa M^{1,2}, Martín-Cabrera P^{1,2}, Alexander, M3, Orea-Soufi A^{1,2}, García-Taboada E^{1,2}, Boya P5, Herrera B6, Sánchez-Muñoz A6, Lovat P4 and Velasco G^{1,2}

1 Department of Biochemistry and Molecular Biology, School of Biology, Complutense University, Madrid, Spain.

2 Instituto de Investigaciones Sanitarias San Carlos (IdISSC), Madrid, Spain.

3 Addenbrookes Hospital, Cambridge, United Kingdom.

4 Dermatological Sciences, Institute of Cellular Medicine, Newcastle University, Newcastle-upon-Tyne, UK.

5 Department of Cellular and Molecular Biology, Centro de Investigaciones Biológicas, CSIC, Madrid, Spain.

6 Department of Biochemistry and Molecular Biology, School of Pharmacy, Complutense University, Madrid, Spain.

Analysis of the Dictyostelium discoideum TipC protein role in autophagy (Id15)

Antón-Esteban L, Roque-Guerra AS, Vincent O and Escalante R

Instituto de Investigaciones Biomédicas Sols-Morreale CSIC-UAM, Madrid, Spain.

Analysis of the interaction of human WIPI proteins with ATG2 (Id17)

Fernández M1, Pascual A1, Escalante R2, Vincent O2 and Navas MA1

1 Departamento de Bioquímica y Biología Molecular, Facultad de Medicina, UCM,

Madrid, Spain 2Instituto de Investigaciones Biomédicas Sols-Morreale CSIC-UAM, Madrid, Spain.



Autophagy perturbations in a myotonic dystrophy type 1 in vitro model (Id7)

Giménez-Bejarano A^{1,2,3}, Alegre-Cortés E^{1,2,3}, Ojalvo-Pacheco J¹, Paredes-Barquero M^{1,2,3}, González-Polo RA^{1,2,3}, Canales-Cortés S^{1,2,3}, Blanco-Benítez M^{1,2,3}, Domínguez-Rojo N^{1,2,3}, Niso-Santano M^{1,2,3}, Yakhine-Diop SMS^{1,2,3}, Fuentes JM^{1,2,3}, Gómez-Suaga P^{1,2,3}

1 Universidad de Extremadura. Departamento de Bioquímica y Biología Molecular y Genética, Facultad de Enfermería y TO, 10003 Cáceres, Spain.

2. Centro de Investigación Biomédica en Red en Enfermedades Neurodegenerativa, Instituto de Salud Carlos III (CIBER-CIBERNED-ISCIII), 28029 Madrid, Spain .

3. Instituto de Investigación Biosanitaria de Extremadura (INUBE), 10003 Cáceres, Spain.

Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE), Cáceres, Spain.

Chaperone-mediated autophagy is a cytoprotective response of photoreceptors during aging and retinal diseases (Id39)

Gómez-Sintes, R^{1,2}, Tasset-Cuevas^{1,2}, Cuervo, AM^{2,3}, Boya, P¹.

1 Departamento de Biología Celular y Molecular, Centro de Investigaciones Biológicas, CSIC, Madrid, Spain.

2 Department of Developmental and Molecular Biology, Albert Einstein College of Medicine, Bronx, NY.

3 Institute for Aging Studies, Albert Einstein College of Medicine, Bronx, NY.

Deciphering the role of ORMDL3 in THC-induced autophagy: potential implications for glioblastoma therapy (Id44)

Martínez-Martínez E¹, Cordani, M, Santos A¹, Moraleda-Esteban R¹, García-López R², Castillo-Lluva S¹, Tovar-Ambel E¹, Orea-Soufi A¹, Antonioli M³, Lorente M¹, Fimia GM³, Hernández-Tiedra S¹, Vicente R², and G. Velasco¹

1 Department of Biochemistry and Molecular Biology I, School of Biology, Complutense University and Instituto de Investigación Sanitaria San Carlos (IdISSC), Madrid, Spain.

2 Molecular Physiology Group, Pompeu Fabra University, Barcelona, Spain.

3 Istituto Nazionale per le Malattie Infettive Lazzaro Spallanzani, IRCCS, Rome, Italy.

Deregulation of autophagic flux in ALMS1 protein-dependent ciliopathic models (Id24)

Fernández Pereira, A.G; Corral Nieto, Y.; Bravo San Pedro, JM

Universidad Complutense de Madrid. Facultad de Medicina. Departamento de Fisiología. Madrid.



Drug repurposing to tackle Crohn's disease progression: Screening of a FDA-approved drug library against TNF- α -driven cell death in autophagy-deficient genetic models (Id49)

Valero Cortijo, A.^{1,2}; Shoenenberger, J.A.^{1,2,3}; Yuste, V.J.^{4,5}; Ribas, J.^{1,2}

1 Pharmacoepidemiology & Pharmacodynamics Group, [Lleida Institute for Biomedical Research Dr. Pifarré Foundation] IRBLLeida, Lleida, Spain.

2 Department of Experimental Medicine, University of Lleida, Lleida, Spain.

3 Hospital Universitari Arnau de Vilanova de Lleida – ICS, Lleida, Spain.

4 Cell Death, Senescence and Survival Group, Department of Biochemistry and Molecular Biology, Faculty of Medicine, Autonomous University of Barcelona, Barcelona, Spain.

5 Institute of Neurosciences, Autonomous University of Barcelona, Barcelona, Spain.

Elucidating the role of autophagy activity in LRRK2-PD iPSC derived microglia in the pathogenesis of Parkinson's disease (Id27)

Scrivo A.¹, Testa V.¹, Baruffi V¹, Fernandez Carasa I.¹, Raya A.^{2,3,4}, Consiglio A.^{1,5}

1. Department of Pathology and Experimental Therapeutics, Bellvitge University Hospital-IDIBELL, 08908 Hospitalet de Llobregat, Spain; Institute of Biomedicine (IBUB) of the University of Barcelona (UB), Barcelona, Spain.

2. Stem Cell Potency Lab, Regenerative Medicine Program, Bellvitge Biomedical Research Institute (IDIBELL), Hospital Duran i Reynals, Hospitalet de Llobregat, 08908 Barcelona, Spain.

3. Center for Networked Biomedical Research on Bioengineering, Biomaterials and Nanomedicine (CIBER-BBN), Madrid, Spain.

4. Institució Catalana de Recerca i Estudis Avançats (ICREA), Barcelona, Spain.

5. Department of Molecular and Translational Medicine, University of Brescia, Brescia BS, Italy.

Induction of mitophagy by acorn cupule extract . Mechanisms involved (Id36)

Domínguez-Rojo N.^{1,2}; Blanco-Benítez M.^{1,2,3*}; Canales-Cortés S.^{1,2,3}; Alegre-Cortés E.^{1,2,3}; Paredes-Barquero M.²; Ojalvo-Pacheco J.¹; Giménez-Bejarano A^{1,2,3} Uribe-Carretero E^{1,2,3} Lavado G.⁴; Hernández-Eguizábal Haizea⁵; Moragón Saioa⁵; Gereñu Gorka⁵; Camello P.J.⁴ Niso-Santano M.^{1,2,3}; Gómez-Suaga P^{1,2,3}; Yakhine Diop S.M.S.^{1,2,3}; Cava R4; Fuentes JM^{1,2,3}; González-Polo R.A.^{1,2,3}*

1 Departamento de Bioquímica y Biología Molecular y Genética, Facultad de Enfermería y Terapia Ocupacional, Universidad de Extremadura, Cáceres, Spain;

2 Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE), Cáceres, Spain; 3 Centro de Investigación Biomédica en Red de Enfermedades (CIBERNED), Madrid, Spain;

4 Universidad de Extremadura, INBio G-C, Departamento Facultad de Veterinaria, Cáceres, Spain.

5 Instituto Biodonostia, 20014 San Sebastián.

6 Universidad de Extremadura, Departamento de Fisiología, Facultad de Enfermería y Terapia Ocupacional, Cáceres, Spain.



Inhibition of the SUMO machinery in cancer-associated fibroblasts has a dual role in breast cancer progression (Id40)

Angélica Martínez-López^{1,2}, Guiomar Infante^{1,2}, Mónica González-Fernández^{1,2}, Olga M. Antón^{1,2}, Marina Mendiburu-Eliçabe¹, Andrés Machuca-Marcos³, José L. Luque-García³, Sonia Castillo-Lluva^{1,2}

¹ Departamento de Bioquímica y Biología Molecular. Facultad de Química. Universidad Complutense de Madrid. Madrid, España.

² Fundación para la Investigación Biomédica del Hospital Clínico San Carlos (FIBHCSC). Madrid, España.

³ Departamento de Química Analítica. Facultad de Química. Universidad Complutense de Madrid. Madrid, España.

Involvement of Queen Bee Acid in the removal of protein aggregates (Id32)

Paredes-Barquero M.^{1,2,3}, Canales-Cortés S.^{1,2,3}, Alegre-Cortés E.^{1,2,3}, Giménez-Bejarano A.^{1,2,3}, Blanco-Benítez M.^{1,2,3}, Domínguez-Rojo N.^{1,2}, Ojalvo-Pacheco J.¹, Santos-Galindo M.^{3,4}, Gómez-Suaga P.^{1,2}, Yakhine-Diop S.M.S^{1,2,3}, González-Polo R.A^{1,2,3}, Pietrocola F.⁵, Lucas J.J.^{3,4}, Fuentes J.M^{1,2,3}, Niso-Santano M.^{1,2,3}

1. Universidad de Extremadura. Departamento de Bioquímica y Biología Molecular y Genética, Facultad de Enfermería y Terapia Ocupacional, 10003 Cáceres, Spain.

2. Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE), 10003 Cáceres, Spain.

3. Centro de Investigación Biomédica en Red en Enfermedades Neurodegenerativas-Instituto de Salud Carlos III (CIBER-CIBERNED-ISCI), 28029 Madrid, Spain.

4. Centro de Biología Molecular 'Severo Ochoa' (CBMSO), Centro Superior de Investigaciones Científicas (CSIC)/Universidad Autónoma de Madrid (UAM), Madrid, Spain.

5. Department of Biosciences and Nutrition, Karolinska Institute, Huddinge, Sweden.

Lysosomal Dysfunction: Connecting the Dots in the Landscape of Human Diseases. (Id23)

Uribe-Carretero E.^{1,2,3}, Rey V.⁴, Yakhine-Diop S.M.S.^{1,2,3}, Ojalvo-Pacheco J.^{1,3}, Dominguez-Rojo N.^{1,3}, Carretero-Morán E.⁵, Fuentes J.M.^{1,2,3}, Tamargo-Gómez I.⁴

1. Departamento de Bioquímica y Biología Molecular y Genética, Facultad de Enfermería y Terapia Ocupacional, Universidad de Extremadura, Cáceres, Spain.

2. Centro de Investigación Biomédica en Red en Enfermedades Neurodegenerativas, Instituto de Salud Carlos III (CIBER-CIBERNED-ISCI), Madrid, Spain.

3. Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE), Cáceres, Spain

4. Instituto de Investigación Sanitaria del Principado de Asturias (ISPA), Oviedo, Spain.

5. Achucarro Basque Center for Neuroscience, Bizkaia, Spain.



Mitophagy deregulation in repeat expansion diseases (Id33)

Giménez-Bejarano, A.^{1,2,3}, Ojalvo-Pacheco, J.^{1,2}, Alegre-Cortés, E.^{1,2,3}, Canales-Cortés, S.^{1,2,3}, Paredes-Barquero, M.^{2,3}, Blanco-Benítez, M.^{1,2,3}, Domínguez-Rojo, N.^{1,2}, Niso-Santano, M.^{1,2,3}, González-Polo, R.A.^{1,2,3}, Yakhine-Diop, S.M.S.^{1,2,3}, Fuentes, J.^{1,2,3}, Gómez-Suaga, P.^{1,2,3}

1. Departamento de Bioquímica y Biología Molecular y Genética, Facultad de Enfermería y Terapia Ocupacional, Universidad de Extremadura, Cáceres, Cáceres, Spain.
2. Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE), Cáceres, Cáceres, Spain.
3. Centro de Investigación Biomédica en Red de Enfermedades Neurodegenerativas (CIBERNED), Madrid, Comunidad de Madrid, Spain.

Modulator of the mTOR Pathway: Implication for Autophagic Regulation (Id37)

Canales-Cortés, S.^{1,2,3}; Domínguez-Rojo, N.^{1,2}; Blanco-Benítez, M.^{1,2,3}; Paredes-Barquero, M.^{1,2,3}; Alegre-Cortés, E.^{1,2,3}; Giménez-Bejarano, A.^{1,2,3}; Ojalvo-Pacheco, J.¹; Gómez-Suaga, P.^{1,2,3}; Yakhine-Diop, S.M.S.^{1,2,3}; Niso-Santano, M.^{1,2,3}; Fuentes, J.M.^{1,2,3}; González-Polo, R.^{1,2,3}.

- 1 Departamento de Bioquímica, Biología Molecular y Genética, Facultad de Enfermería y Terapia Ocupacional, Universidad de Extremadura;
- 2 Instituto Universitario de Investigación Biosanitaria de Extremadura (INUBE);
- 3 Centro de Investigación Biomédica en Red sobre Enfermedades Neurodegenerativas (CIBERNED).

Molecular mechanisms underlying the neuroprotective effects of elderflower (Id35)

García-Aguilar, A^(1,2), Cetani, A.M.⁽¹⁾, Goya Suárez L⁽³⁾, Guillén, C^(2,4), Palomino O.M.^(1,2)
(1) Department of Pharmacology, Pharmacognosy and Botany, School of Pharmacy, University Complutense of Madrid, Ciudad Universitaria s/n, 28040 Madrid, Spain.

(2) Spanish Biomedical Research Centre in Diabetes and Associated Metabolic Disorders (CIBERDEM), Instituto de Salud Carlos III (IdISSC), 28029 Madrid, Spain.

(3) Department of Metabolism and Nutrition, Institute of Science and Food Technology and Nutrition (ICTAN—CSIC), 28040 Madrid, Spain.

(4) Department of Biochemistry and Molecular Biology, School of Pharmacy, University Complutense of Madrid, Ciudad Universitaria s/n, 28040 Madrid, Spain; IdISSC, Madrid, Spain.



NanoGBA-to-brain strategy as a novel Parkinson's disease treatment (Id22)

Castillo-Sánchez P.¹, Pradas E.^{1, 2}, Arrué-González M.¹, Tanco S.², Sarlé-Vallé P.², Montpeyo D.², Basanta N², Conejero I.³, Riera J.¹, Montpeyo M.¹, Navarro-Romero A.¹, Carnicer-Cáceres C⁴, Arranz-Amo JA.⁴, Castillo-Ribelles L.⁴, Novio F.², Vicent MJ.³, Lorenzo Rivera J.², Martínez-Vicente M.¹

1 Neurodegenerative diseases group. Vall d'Hebron Research Institute (VHIR).

2 Protein Engineering and Nanomedicine group. Universitat Autònoma de Barcelona (UAB).

3 Polymer Therapeutics Lab. Centro de investigación Príncipe Felipe (CIPF).

4 Biochemistry Service, Vall d'Hebron Hospital.

RASSF2 is a novel autophagy regulator with potential implications on cellular homeostasis and aging (Id26)

Manastireanu, D¹, Salazar Martinez, N¹, Ponce-Mora, A¹, Domenech Bendaña, A¹, Barragán Martín, I¹, Quereda, JJ², Bejarano, E¹, Landeras-Bueno, S¹, Nieto-Torres, JL¹

1 Department of Biomedical Sciences, School of Health Sciences and Veterinary, Universidad Cardenal Herrera-CEU, CEU Universities, Valencia, Spain.

2 Department of Animal Production and Health, Veterinary Public Health and Food Science and Technology, Faculty of Veterinary Medicine, Universidad Cardenal Herrera-CEU, CEU Universities, Valencia, Spain.

Role of the glycogen-related protein malin in glycophagy (Id9)

Pasquale Pellegrini¹, Joan J. Guinovart¹ Jordi Duran²

1 Institute for Research in Biomedicine (IRB Barcelona), The Barcelona Institute of Science and Technology, 08028 Barcelona

2 Institut Químic de Sarrià (IQS), Universitat Ramon Llull (URL), 08017 Barcelona

3 Institute for Bioengineering of Catalonia (IBEC), The Barcelona Institute of Science and Technology, 08028 Barcelona.

Study of autophagy to provide novel CIN-targeted therapy in breast cancer (Id16)

Bosch-Calvet M^{1,2}, Greoles-Cano J¹, García-Cajide M^{1,2}, Mauvezin C^{1,2}

1 Department of Biomedicine, Faculty of Medicine and Health Sciences, University of Barcelona, Catalonia, Spain.

2 August Pi i Sunyer Biomedical Research Institute (IDIBAPS), Barcelona, Catalonia, Spain.



Taurine boosts autophagy and ameliorates glycative-stress derived damage (Id4)

Nicolle Andrea Salazar Martínez¹, Alejandro Ponce-Mora¹, Jesús Alarcón-Gil², Andrea Yuste¹, Alicia Doménech-Bendaña¹, María José Asensio-Vegas², Marta Posada-Gracia², Cristina Trujillo-Del Río³, Lucia Gimeno-Mallench¹, Antonella Locascio¹, Rafael Vázquez-Manrique³, José Antonio Rodríguez-Navarro⁴ and Eloy Bejarano¹

1 Universidad Cardenal Herrera-CEU, CEU Universities, Valencia, Spain;

2 Instituto Ramón y Cajal de Investigaciones Sanitarias (IRYCIS), Madrid, Spain;

3 Laboratory of Molecular, Cellular and Genomic Biomedicine, Instituto de Investigación Sanitaria La Fe, Valencia, Spain;

4 Departamento Biología Celular, Universidad Complutense Madrid, Madrid, Spain.

The antioxidant properties of 3-methyladenine mediate its antiapoptotic action independently of the autophagy flux inhibition (Id50)

Beà, A.^{1, 2}; Martínez-Escardó, L.^{5, 6}; Valero Cortijo, A.^{1, 2}; Perramon, A.⁴; Chicote, J.^{1, 2}; Encinas, M.⁴; Shoenenberger, J.A.^{1, 2, 3}; Yuste, V.J.^{4, 5}; Ribas, J.^{1, 2}

1 Pharmacoepidemiology & Pharmacodynamics Group, [Lleida Institute for Biomedical Research Dr. Pifarré Foundation] IRBLleida, Lleida, Spain.

2 Department of Experimental Medicine, University of Lleida, Lleida, Spain.

3 Hospital Universitari Arnau de Vilanova de Lleida – ICS, Lleida, Spain.

4 Oncogenic Signalling and Development, Department of Experimental Medicine, University of Lleida-IRBLleida, Lleida, Spain.

5 Cell Death, Senescence and Survival Group, Department of Biochemistry and Molecular Biology, Faculty of Medicine, Autonomous University of Barcelona, Barcelona, Spain.

6 Institute of Neurosciences, Autonomous University of Barcelona, Barcelona, Spain.

The role of ACBP in ciliopathy-derived obesity (Id25)

Corral Nieto, Y.; Fernández Pereira, A.G.; Bravo San Pedro, JM

Universidad Complutense de Madrid. Facultad de Medicina. Departamento de Fisiología. Madrid

Unraveling the role of SQSTM1 in mitosis: Insights and Implications (Id41)

Ilidaki M¹, Romanovic K¹*, Garcia-Cajide M^{1,2}, Mauvezin C^{1,2}.*

1 Department of Biomedicine, Faculty of Medicine and Health Sciences, University of Barcelona, Catalonia, Spain.

2 August Pi i Sunyer Biomedical Research Institute (IDIBAPS), Barcelona, Catalonia, Spain.

** first-co-authors*